



Coprite®



INTRODUCTION

Yuyao Coprite Water Treatment Factory is one of the leading manufacturer and exporter of household electrical appliances. Our main lines now include reverse osmosis systems, water dispensers, water purifiers, water filters, filter housings, cartridges, faucets and water purifier spare parts. Our head office is located in the center of Yuyao city, close to Beilun Port, one of largest export facilities in China. We have a team of in-house QC personnel who are responsible for ensuring that all operations are conducted in line with ISO9002 standards. Having received GS, CE, CB certifications for various product series, we are now achieving high sales shares in markets worldwide. Manufacturing exclusively for export, we have formed business relations with buyers in Europe, Middle East and Southeast Asia. Moreover, we are currently working to extend our sales channels into North America.

Adhering to the principles of "Quality ensures our survival", "Advanced management makes us develop" and "Wisdom brings wealth", we hope to cooperate with all partners for mutual success. Welcoming correspondences from interested companies around the world, we hope to hear from you soon.



Water dispenser with filtration	01-04
RO system with heating/cooling	05-06
Reverse osmosis system	07-11
Water purifier	12-13
Water filter housing	14
Stainless steel water purifier	15
S/S water dispenser with filtration	16
Water filter cartridge	17-19
Tap filter&shower filter	20-22
Quick fitting	23-24
RO system component	25-27
Goose neck faucet	28
Water purifier pot	29
Water dispenser tap	30
Membrane and housing	31
Ozone machine	32
UV system	33
SS-UF water purifier	34-36
S/S RO membrane housing	37
S/S cartridge filter housing	38-40
SS housing	41
U-PVC Cartridge housing	42
Commercial RO system	43-44
Brass/SS valve	45
Booster pump	46
Ro membrane	47
FRP membrane housing	48
Pressure swith &ph and tds detector	49
Flow meter&pressure gauge	50
FRP control valve	51
FRP Pressure vessels	52
Water distributor series	53-54
Brine and dosing tank	55
RO pressure tank	56

KKT2305



Filter Precision 0.01μ
 Product Size 30x39x53.4cm
 Packing Size 34.5x43.5x58.2cm
 Loading Qty (20'FT / 40'HQ) 320/755PCS

Color ● ●

KKT2350



Filter Precision 0.01μ
 Product Size 30x39x53.4cm
 Packing Size 34.5x43.5x58.2cm
 Loading Qty (20'FT / 40'HQ) 320/755PCS

Color ● ● ●

KKTS-101



NEW

Filter Precision 0.01μ
 Product Size 45.5x28x53.5cm
 Packing Size 50.5x33x58.5cm
 Loading Qty (20'FT / 40'HQ) 300/670PCS

KKTS-102



NEW

Filter Precision 0.01μ
 Product Size 45.5x28x53.5cm
 Packing Size 50.5x33x58.5cm
 Loading Qty (20'FT / 40'HQ) 300/670PCS


KKTS-108



NEW

Filter Precision 0.01μ
 Product Size 45.5x28x53.5cm
 Packing Size 50.5x33x58.5cm
 Loading Qty (20'FT / 40'HQ) 300/670PCS

UF filtration



WATER DISPENSER WITH FILTRATION



KKTS-105



NEW

Filter Precision	0.01μ
Product Size	45.5x28x53.5cm
Packing Size	50.5x33x58.5cm
Loading Qty (20'ET / 40'HQ)	300/670PCS

KKTS-33



NEW

Filter Precision	0.01μ
Product Size	45.5x28x53.5cm
Packing Size	50.5x33x58.5cm
Loading Qty (20'ET / 40'HQ)	300/670PCS

KKTS-31



NEW

Filter Precision	0.01μ
Product Size	45.5x28x53.5cm
Packing Size	50.5x33x58.5cm
Loading Qty (20'ET / 40'HQ)	300/670PCS

KKTS-32



NEW

Filter Precision	0.01μ
Product Size	45.5x28x53.5cm
Packing Size	50.5x33x58.5cm
Loading Qty (20'ET / 40'HQ)	300/670PCS


KKTS-99




NEW

Filter Precision	0.01μ
Product Size	45.5x28x53.5cm
Packing Size	50.5x33x58.5cm
Loading Qty (20'ET / 40'HQ)	300/670PCS

Option 1 SED+PRE+UF+POST



Option 2 SED+PRE+RO+POST



- RO membrane 75GPD / 50GPD
- Inlet pressure:0.1-0.4Mpa
- Purifying Capacity: 11.8L/h /7.8L/h

WATER DISPENSER WITH FILTRATION

KK2305
KK2305-RO



color ● ●

◆ Filter Precision	0.01μ
◆ Product Size	30x39.5x111cm
◆ Packing Size	34.5x43.5x116.5cm
◆ Loading Qty (20'FT / 40'HQ)	160/340PCS

KK2350
KK2350-RO



color ● ● ●

◆ Filter Precision	0.01μ
◆ Product Size	30x39.5x111cm
◆ Packing Size	34.5x43.5x116.5cm
◆ Loading Qty (20'FT / 40'HQ)	160/340PCS

KKLS-101



NEW

◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS

KKLS-102



NEW

◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS


KKLS-202




NEW

◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS

UF filtration



RO filtration



WATER DISPENSER WITH FILTRATION



KKLS-31



◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS

KKLS-32



◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS

KKLS-103



◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS

KKLS-99




◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS

KKLS-201




◆ Filter Precision	0.01μ
◆ Product Size	37x28x110cm
◆ Packing Size	420x33x115cm
◆ Loading Qty (20'FT / 40'HQ)	160/420PCS

Option 1 SED+PRE+UF+POST



Option 2 SED+PRE+RO+POST



- RO membrane 75GPD / 50GPD
- Inlet pressure:0.1-0.4Mpa
- Purifying Capacity: 11.8L/h /7.8L/h




KK-RO9H-1
HEATING&NORMAL
INSIDE WATER TANK:7L
HEATING TANK:1L
color ● ●



KK-RO9H-2
HEATING&NORMAL
INSIDE WATER TANK:7L
HEATING TANK:1L

RO filtration



KK-RO10HC-2
HEATING&COOLING&NORMAL
INSIDE WATER TANK:7L
HEATING TANK:1L




KK-RO10HC-3
With inside water tank(7L)
HEATING&COOLING&NORMAL
INSIDE WATER TANK:7L
HEATING TANK:1L
color ● ●

NEW



RO filtration





Model KK-RO50G-A (5 Stages)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO12 (5-7 Stages with Pressure Gauge)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO50G-C (6 Stages with UV)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO50G-D (6 Stages)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO13 (Plastic Stand)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO14 (Plastic Stand with Pressure Gauge)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank

REVERSE OSMOSIS SYSTEM



Model KK-RO50G-03 (Steel Bracket with computer)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO50G-X (7 Stages with UV & computer)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO10 (Steel Stand with Pressure Gauge)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO10B (Steel Stand with Pressure & TDS display)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO15 (5-7 Stages with TIMER)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank



Model KK-RO-07 (Steel Stand with Pressure Gauge)
Capacity: 50/75/100GPD
Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 3.2G or 4G plastic Tank

NEW




KK-RO-BR1

NEW



KK-RO-BR2



UV Lamp



RO Stage:
5/6/7 Stages



UV lamp:
optional



7 Stages + UV lamp
= 8 stages
PP+UDF+CTO+RO+T33+T1+T2+UV



Machine Dim: L*W*H
394*208*501 mm



CTN Dim: L*W*H
420*225*555 mm



Net Weight: 8.7KG
Gross Weight: 9.5KG



KK-ROL1



KK-ROL2



KK-ROL3



KK-ROL4



KK-ROL5



KK-ROL5-1(TDS)

Model	KK-ROL1	KK-ROL2	KK-ROL3	KK-ROL4	KK-ROL5	KK-ROL5-1(TDS)
Pure water capacity(GPD)	75-800	75-800	75-800	75-1200	75-1200	75-1200
Pure flow (L/min)	0.2-2.0	0.2-2.0	0.2-2.0	0.2-3.1	0.2-3.1	0.2-3.1
Voltage (V)	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Product Dim.	408*448*156mm	408*448*156mm	408*448*156mm	380*430*152mm	380*430*152mm	380*430*152mm

NEW



Model KK-RO-P1 (800GPD)

Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 11G Steel Tank

NEW



Model KK-RO-P2 (1600GPD)

Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 11G Steel Tank



Model KK-RO-N (100-400GPD)

Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 11G Steel Tank



Model KK-RO-O (100-400GPD)

Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 11G Steel Tank



Model KK-RO-O1 (100-400GPD)

Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 11G Steel Tank



Model KK-RO-O2 (400/600/800GPD)

Diaphragm Booster Pump with Adaptor 110/220V,50/60HZ
RO Membrane: VONTRON or COPRITE Membrane
Pressure Tank: 11G Steel Tank

NEW



KK-D-13

Double Stages filtration,PP+CTO
Jumbo 10"
Inlet pressure:8-125PSI
0.6-8.8kg/m³

NEW



KK-T-13

Triple Stages filtration,PP+UDF+CTO
Jumbo 10"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-7

Triple Stages filtration,PP+CTO+GAC
20" Blue housing
Inlet pressure:8-125PSI
0.6-8.8kg/m³

NEW



KK-D-14

Double Stages filtration,PP+CTO
Jumbo 20"
Inlet pressure:8-125PSI
0.6-8.8kg/m³

NEW



KK-T-14

Triple Stages filtration,PP+UDF+CTO
Jumbo 20"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-8

Triple Stages,PP+GAC+CTO
Jumbo 20"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-8

Double Stages filtration,PP+CTO cartridge
Jumbo 20"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-12

Double Stages filtration,PP+CTO or as required
Jumbo 10"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-12

5 Stages filtration,PP+GAC+CTO
+T33+Mineral Filter
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-S-8

Single Stage filtration,PP cartridge
Jumbo 10"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-11

Double Stages filtration,PP+CTO or as required
Jumbo 10"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-11

Triple Stages filtration,PP+GAC+CTO or as required
Jumbo 10"
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-1

Double filtration,PP+CTO cartridge
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-2

Double filtration,PP+CTO cartridge
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-1

Triple filtration,PP+GAC+CTO cartridge
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-2

Triple filtration,PP+GAC+CTO cartridge
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-5

Double filtration
PP+CTO cartridge+UVlight
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-4-2

3 Stage filtration,PP +CTO+T33
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-101

Triple filtration,PP+UDF+CTO+T33+T33
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-103

Triple filtration,PP+UDF+CTO+T33+UV
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-6

Triple filtration,PP+GAC+CTO cartridge
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-D-3

Double filtration
PP+CTO cartridge
Inlet pressure:8-125PSI
0.6-8.8kg/m³



KK-T-3

Triple filtration
PP+GAC+CTO cartridge
Inlet pressure:8-125PSI
0.6-8.8kg/m³





NEW



KKFS10-27

1/4
1/2



KKFS10-01W



KKFS10-01C



KKFS10-02W



KKFS10-02C

1/2



KKN-1

1/2



KKN-2



KKFS10-12



KKFS10-14



KKFS10-21



KKFS10-23



KKFS10-08



KKFS10-10



KK-FS-10-26



KKFS10-24



KKFS10-25



KKFS5-2



KKFS5-7



KKFS-17



KKFS-18



KKFS20-02



KKFS20-03



KKFS20-04



KKFS10-B



KKFS20-01



KKFSC-10B



KKFSC20-01



KK-A1-2

Double filtration, PP+CTO
Flow capacity: 200L/H
Package dimension: 54X35X45
5PCS



KK-A1-3

Triple filtration, PP+UDF+CTO
Flow capacity: 200L/H
Package dimension: 57X47X44
4PCS



KK-A3

Triple filtration, PP+UDF+CTO
Flow capacity: 200L/H
Package dimension: 57X47X45
4PCS



KK-A1-4

Quadruple filtration, PP+UDF+UDF+CTO
Flow capacity: 200L/H
Package dimension: 59X51.5X48
3PCS



KK-C2

Double filtration, PP+CTO
Flow capacity: 150L/H
Package dimension: 63X30X36
5PCS



KK-Q3-2

Triple filtration, PP+UDF+CTO+UF+CRM
Flow capacity: 200L/H
Package dimension: 60X50X46
4PCS



KK-T4-1

Quadruple filtration, PP+UDF+CTO+CRM
Flow capacity: 150L/H
Package dimension: 56X40X47
4PCS



KK-C1

Single filtration, PP
Flow capacity: 150L/H
Package dimension: 54X44X36
12PCS



KK-F2

Double cartridge, PP+CTO
Flow capacity: 1.5L/MIN
Package dimension: 200X115X275



KK-F3

Triple cartridge, PP+UF+CTO
Flow capacity: 1.5L/MIN
Package dimension: 210X78X325



KK-G2

Double filtration, PP+CTO
Flow capacity: 1.5L/H
Package dimension: 345.6X133.7X295



KK-D1

Single filtration, PP
Flow capacity: 200L/H
Package dimension: 56X45X36
10PCS

S/S WATER DISPENSER WITH FILTRATION

Coprite®



KK-195-5

Hot, cold and room temperature
water 120V/220V, 50Hz/60Hz, 1000W Hot
tank 5L, cold tank 3L

KK-195-10

Hot, cold and room
temperature water 120V/220V,
50Hz/60Hz, 1000W Hot tank 10L, cold
tank 3L

KK-196-5

Hot and room temperature
120V/220V, 50Hz/60Hz, 800W Hot tank 5L

KK-196-10

Hot and room temperature 120V/220V,
50Hz/60Hz, 1500W Hot tank 10L

KK-195/6



KK-291-5

Hot, cold and room temperature
water 120V/220V, 50Hz/60Hz, 1000W Hot
tank 5L, cold tank 3L

KK-292-5

Hot and room temperature
120V/220V, 50Hz/60Hz, 800W Hot tank 5L

KK-291/2



KK-312

cold and room temperature
120V/220V, 50Hz/60Hz, cold tank 2.2L



KK-311

cold and room temperature
120V/220V, 50Hz/60Hz, cold tank 2.2L



PP-10

PP-20

PP-10B

PP-20B

PP-10	PP-20	PP-10B	PP-20B
H:10inch	H:20inch	H:10inch	H:20inch
ID:28mm	ID:28mm	ID:28mm	ID:28mm
OD:63mm	OD:63mm	OD:114mm	OD:114mm



PS-10

PS-10(hot)

PS-20

PS-10B

PS-20B

PS-10	PS-20	PS-10B	PS-20B
H:10inch	H:20inch	H:10inch	H:20inch
ID:28mm	ID:28mm	ID:28mm	ID:28mm
OD:63mm	OD:63mm	OD:114mm	OD:114mm



CPP-10

CPP-20

CPP-10B

CPP-20B

CPP-10	CPP-20	CPP-10B	CPP-20B
H:10inch	H:20inch	H:10inch	H:20inch
ID:28mm	ID:28mm	ID:28mm	ID:28mm
OD:63mm	OD:63mm	OD:114mm	OD:114mm



PL-10

PL-20

PL-10B

PL-20B

PL-10	PL-20	PL-10B	PL-20B
H:10inch	H:20inch	H:10inch	H:20inch
ID:28mm	ID:28mm	ID:28mm	ID:28mm
OD:63mm	OD:63mm	OD:114mm	OD:114mm

WATER FILTER CARTRIDGE



CTO-10	H:10inch	ID:28mm	OD:71mm
CTO-20	H:20inch	ID:28mm	OD:71mm
CTO-10B	H:10inch	ID:28mm	OD:114mm
CTO-20B	H:20inch	ID:28mm	OD:114mm
CTO-102	H:10inch	ID:28mm	OD:71mm

CTO-10 CTO-20 CTO-10B CTO-20B CTO-102



PC-10	H:10inch	ID:28mm	OD:63/71mm
GAC-10	H:10inch	ID:28mm	OD:71mm
GAC-20	H:20inch	ID:28mm	OD:71mm
GAC-10B	H:10inch	ID:28mm	OD:114mm
GAC-20B	H:20inch	ID:28mm	OD:114mm
GAC-102	H:10inch	ID:28mm	OD:71mm

PC-10 GAC-10 GAC-20 GAC-10B GAC-20B GAC-102



Ceramic (B-A)	H:10inch	ID:28mm	OD:48mm
Ceramic (B-B)	H:10inch	ID:28mm	OD:55mm
Cearmic (A)	H:10inch	ID:28mm	OD:48mm
Carbon Cearmic(B-A)	H:10inch	ID:28mm	OD:55mm
Carbon Cearmic(B-B)	H:10inch	ID:28mm	OD:68mm

Ceramic(B-A) Ceramic(B-B) Ceramic(A) Carbon Ceramic(B-A) Carbon Ceramic(B-B)



PL-10A

PL-10C

Pleated cartridge is made of various materials, such as: PP, PES, NYLON, and PVDF. This filter cartridge has high precision and is suitable for industry, medicine, and portable water treatment.
Filtration precision: 0.22, 0.45, 1, 5, 10 micron Length: 10, 20 inch Out diameter: 2.5, 4.5 inch



NT-10A
(Stainless Net)

NT-5A
(Stainless Net)

NT-10B
(Plastic Net)

NT-5B
(Plastic Net)




Filtration Medium




Negative ion Ball



Aluminite



KDF



Siliphos



Energy Ball



Resin



Infrared Mineralized Ball



Activated Carbon



Manganese sands

TAP FILTER&SHOWER FILTER

- Dechlorination
- Water purification
- Skin beautification

- SWEET-SCENTED OSMANTHUS
- LAVENDAR
- JASMINE
- STRAWBERRY
- GARDENIA
- ROSE
- LEMON



KK-SF





Shower Filter



TAP FILTER&SHOWER FILTER

The shower filter series filled with carbon fiber and granular carbon cartridge. It can be installed directly on the faucet. It includes a set of universal fittings for easy installing on any kinds of kitchen or bathroom faucet. This filter can remove chlorine, organic substances, taste and smell in the water.



KK-TP-10A



KK-TP-10B



KK-TP-11A



KK-TP-11B



KK-TP-20A



KK-TP-20B



KK-TP-21A



KK-TP-21B



KK-TP-12



F3



F4



KK-TP-30A



KK-TP-30B



KK-TP-40A



KK-TP-40B



KK-TP-50A



KK-TP-50B



KK-TP-50C








KK-TP-50D




Quick adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th></tr><tr><td>001-A</td><td>1/4</td></tr><tr><td>001-B</td><td>3/8</td></tr><tr><td>001-C</td><td>1/2</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>	Part-No.	Tube O.D	001-A	1/4	001-B	3/8	001-C	1/2										
Part-No.	Tube O.D																		
001-A	1/4																		
001-B	3/8																		
001-C	1/2																		
Male elbow adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>002-A</td><td>1/4</td><td>1/4</td></tr><tr><td>002-B</td><td>1/4</td><td>1/2</td></tr><tr><td>002-C</td><td>3/8</td><td>1/4</td></tr><tr><td>002-D</td><td>3/8</td><td>3/8</td></tr><tr><td>002-E</td><td>3/8</td><td>1/2</td></tr></table>	Part-No.	Tube O.D	Thread	002-A	1/4	1/4	002-B	1/4	1/2	002-C	3/8	1/4	002-D	3/8	3/8	002-E	3/8	1/2
Part-No.	Tube O.D	Thread																	
002-A	1/4	1/4																	
002-B	1/4	1/2																	
002-C	3/8	1/4																	
002-D	3/8	3/8																	
002-E	3/8	1/2																	
Stem/ping in elbow adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Stem</th></tr><tr><td>003-A</td><td>1/4</td><td>1/4</td></tr><tr><td>003-B</td><td>1/4</td><td>3/8</td></tr><tr><td>003-C</td><td>3/8</td><td>1/4</td></tr><tr><td>003-D</td><td>3/8</td><td>3/8</td></tr><tr><td>003-E</td><td>1/2</td><td>1/2</td></tr></table>	Part-No.	Tube O.D	Stem	003-A	1/4	1/4	003-B	1/4	3/8	003-C	3/8	1/4	003-D	3/8	3/8	003-E	1/2	1/2
Part-No.	Tube O.D	Stem																	
003-A	1/4	1/4																	
003-B	1/4	3/8																	
003-C	3/8	1/4																	
003-D	3/8	3/8																	
003-E	1/2	1/2																	
"L" shaped two open bender 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th></tr><tr><td>004-A</td><td>1/4</td><td>1/4</td></tr><tr><td>004-B</td><td>1/4</td><td>3/8</td></tr><tr><td>004-C</td><td>3/8</td><td>3/8</td></tr><tr><td>004-D</td><td>3/8</td><td>3/8</td></tr><tr><td>004-E</td><td>1/2</td><td>1/2</td></tr></table>	Part-No.	Tube O.D	Tube O.D	004-A	1/4	1/4	004-B	1/4	3/8	004-C	3/8	3/8	004-D	3/8	3/8	004-E	1/2	1/2
Part-No.	Tube O.D	Tube O.D																	
004-A	1/4	1/4																	
004-B	1/4	3/8																	
004-C	3/8	3/8																	
004-D	3/8	3/8																	
004-E	1/2	1/2																	




Male elbow adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>005-A</td><td>1/4</td><td>3/8</td></tr><tr><td>005-B</td><td>3/8</td><td>1/8</td></tr><tr><td>005-C</td><td>3/8</td><td>1/2</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	005-A	1/4	3/8	005-B	3/8	1/8	005-C	3/8	1/2																				
Part-No.	Tube O.D	Thread																															
005-A	1/4	3/8																															
005-B	3/8	1/8																															
005-C	3/8	1/2																															
— shaped two open connect 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th></tr><tr><td>006-A</td><td>1/4</td><td>1/4</td></tr><tr><td>006-B</td><td>1/4</td><td>3/8</td></tr><tr><td>006-C</td><td>3/8</td><td>3/8</td></tr><tr><td>006-D</td><td>1/2</td><td>1/2</td></tr><tr><td>006-E</td><td>1/2</td><td>3/8</td></tr></table>	Part-No.	Tube O.D	Tube O.D	006-A	1/4	1/4	006-B	1/4	3/8	006-C	3/8	3/8	006-D	1/2	1/2	006-E	1/2	3/8														
Part-No.	Tube O.D	Tube O.D																															
006-A	1/4	1/4																															
006-B	1/4	3/8																															
006-C	3/8	3/8																															
006-D	1/2	1/2																															
006-E	1/2	3/8																															
Maie teee adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>007-A</td><td>1/4</td><td>1/4</td><td>1/4</td></tr><tr><td>007-B</td><td>1/4</td><td>3/8</td><td>1/4</td></tr><tr><td>007-C</td><td>1/4</td><td>1/4</td><td>1/4</td></tr><tr><td>007-D</td><td>1/4</td><td>3/8</td><td>3/8</td></tr><tr><td>007-E</td><td>3/8</td><td>3/8</td><td>3/8</td></tr><tr><td>007-F</td><td>1/4</td><td>3/8</td><td>3/8</td></tr><tr><td>007-G</td><td>3/8</td><td>3/8</td><td>1/4</td></tr></table>	Part-No.	Tube O.D	Tube O.D	Thread	007-A	1/4	1/4	1/4	007-B	1/4	3/8	1/4	007-C	1/4	1/4	1/4	007-D	1/4	3/8	3/8	007-E	3/8	3/8	3/8	007-F	1/4	3/8	3/8	007-G	3/8	3/8	1/4
Part-No.	Tube O.D	Tube O.D	Thread																														
007-A	1/4	1/4	1/4																														
007-B	1/4	3/8	1/4																														
007-C	1/4	1/4	1/4																														
007-D	1/4	3/8	3/8																														
007-E	3/8	3/8	3/8																														
007-F	1/4	3/8	3/8																														
007-G	3/8	3/8	1/4																														
Maie teee adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>008-A</td><td>1/4</td><td>1/4</td><td>1/4</td></tr><tr><td>008-B</td><td>1/4</td><td>1/4</td><td>3/8</td></tr><tr><td>008-C</td><td>1/4</td><td>1/4</td><td>3/8</td></tr><tr><td>008-D</td><td>3/8</td><td>3/8</td><td>1/4</td></tr><tr><td>008-E</td><td>3/8</td><td>3/8</td><td>3/8</td></tr><tr><td>008-F</td><td>3/8</td><td>3/8</td><td>3/8</td></tr></table>	Part-No.	Tube O.D	Tube O.D	Thread	008-A	1/4	1/4	1/4	008-B	1/4	1/4	3/8	008-C	1/4	1/4	3/8	008-D	3/8	3/8	1/4	008-E	3/8	3/8	3/8	008-F	3/8	3/8	3/8				
Part-No.	Tube O.D	Tube O.D	Thread																														
008-A	1/4	1/4	1/4																														
008-B	1/4	1/4	3/8																														
008-C	1/4	1/4	3/8																														
008-D	3/8	3/8	1/4																														
008-E	3/8	3/8	3/8																														
008-F	3/8	3/8	3/8																														

Union teee adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th><th>Tube O.D</th></tr><tr><td>009-A</td><td>1/4</td><td>1/4</td><td>1/4</td></tr><tr><td>009-B</td><td>1/4</td><td>1/4</td><td>3/8</td></tr><tr><td>009-C</td><td>1/4</td><td>3/8</td><td>1/4</td></tr><tr><td>009-D</td><td>1/4</td><td>3/8</td><td>3/8</td></tr><tr><td>009-E</td><td>3/8</td><td>3/8</td><td>3/8</td></tr><tr><td>009-F</td><td>3/8</td><td>1/4</td><td>3/8</td></tr></table>	Part-No.	Tube O.D	Tube O.D	Tube O.D	009-A	1/4	1/4	1/4	009-B	1/4	1/4	3/8	009-C	1/4	3/8	1/4	009-D	1/4	3/8	3/8	009-E	3/8	3/8	3/8	009-F	3/8	1/4	3/8
Part-No.	Tube O.D	Tube O.D	Tube O.D																										
009-A	1/4	1/4	1/4																										
009-B	1/4	1/4	3/8																										
009-C	1/4	3/8	1/4																										
009-D	1/4	3/8	3/8																										
009-E	3/8	3/8	3/8																										
009-F	3/8	1/4	3/8																										
Stem/ping in tee adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th><th>Tube O.D</th></tr><tr><td>010-A</td><td>1/4</td><td>1/4</td><td>1/4</td></tr><tr><td>010-B</td><td>1/4</td><td>1/4</td><td>3/8</td></tr><tr><td>010-C</td><td>1/4</td><td>3/8</td><td>1/4</td></tr><tr><td>010-D</td><td>3/8</td><td>3/8</td><td>3/8</td></tr><tr><td>010-E</td><td>3/8</td><td>3/8</td><td>1/4</td></tr></table>	Part-No.	Tube O.D	Tube O.D	Tube O.D	010-A	1/4	1/4	1/4	010-B	1/4	1/4	3/8	010-C	1/4	3/8	1/4	010-D	3/8	3/8	3/8	010-E	3/8	3/8	1/4				
Part-No.	Tube O.D	Tube O.D	Tube O.D																										
010-A	1/4	1/4	1/4																										
010-B	1/4	1/4	3/8																										
010-C	1/4	3/8	1/4																										
010-D	3/8	3/8	3/8																										
010-E	3/8	3/8	1/4																										
Maie straight adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>011-A</td><td>1/4</td><td>1/8</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	011-A	1/4	1/8																						
Part-No.	Tube O.D	Thread																											
011-A	1/4	1/8																											
Male straught adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>012-A</td><td>1/4</td><td>1/4</td></tr><tr><td>012-B</td><td>1/4</td><td>3/8</td></tr><tr><td>012-C</td><td>3/8</td><td>3/8</td></tr><tr><td>012-D</td><td>3/8</td><td>1/4</td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	012-A	1/4	1/4	012-B	1/4	3/8	012-C	3/8	3/8	012-D	3/8	1/4													
Part-No.	Tube O.D	Thread																											
012-A	1/4	1/4																											
012-B	1/4	3/8																											
012-C	3/8	3/8																											
012-D	3/8	1/4																											

Male elbow adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>013-A</td><td>1/4</td><td>1/8</td></tr><tr><td>013-B</td><td>3/8</td><td>1/8</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	013-A	1/4	1/8	013-B	3/8	1/8															
Part-No.	Tube O.D	Thread																							
013-A	1/4	1/8																							
013-B	3/8	1/8																							
Buik head adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>014-A</td><td>1/4</td><td>1/4</td><td>φ 16.5mm</td></tr><tr><td>014-B</td><td>1/4</td><td>3/8</td><td>φ 20mm</td></tr><tr><td>014-C</td><td>3/8</td><td>3/8</td><td>φ 20mm</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Tube O.D	Thread	014-A	1/4	1/4	φ 16.5mm	014-B	1/4	3/8	φ 20mm	014-C	3/8	3/8	φ 20mm								
Part-No.	Tube O.D	Tube O.D	Thread																						
014-A	1/4	1/4	φ 16.5mm																						
014-B	1/4	3/8	φ 20mm																						
014-C	3/8	3/8	φ 20mm																						
Mnpt 90°C ball valve 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Stem O.D</th></tr><tr><td>015-A</td><td>1/4</td><td>1/4</td></tr><tr><td>015-B</td><td>3/8</td><td>3/8</td></tr><tr><td>015-C</td><td>3/8</td><td>1/4</td></tr><tr><td>015-D</td><td>3/8</td><td>3/4</td></tr><tr><td>015-E</td><td>1/4</td><td>3/4</td></tr><tr><td>015-F</td><td>1/4</td><td>3/8</td></tr></table>	Part-No.	Tube O.D	Stem O.D	015-A	1/4	1/4	015-B	3/8	3/8	015-C	3/8	1/4	015-D	3/8	3/4	015-E	1/4	3/4	015-F	1/4	3/8			
Part-No.	Tube O.D	Stem O.D																							
015-A	1/4	1/4																							
015-B	3/8	3/8																							
015-C	3/8	1/4																							
015-D	3/8	3/4																							
015-E	1/4	3/4																							
015-F	1/4	3/8																							
Lengthen adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>015-BB</td><td>1/4</td><td>1/4</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	015-BB	1/4	1/4																		
Part-No.	Tube O.D	Thread																							
015-BB	1/4	1/4																							

Stem/ping in tee adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>016-A</td><td>1/4</td><td>1/4</td><td>1/4</td></tr><tr><td>016-B</td><td>1/4</td><td>1/4</td><td>3/8</td></tr><tr><td>016-C</td><td>1/4</td><td>3/8</td><td>1/4</td></tr><tr><td>016-D</td><td>3/8</td><td>3/8</td><td>3/8</td></tr><tr><td>016-E</td><td>3/8</td><td>1/4</td><td>3/8</td></tr><tr><td>016-F</td><td>3/8</td><td>1/4</td><td>1/4</td></tr></table>	Part-No.	Tube O.D	Tube O.D	Thread	016-A	1/4	1/4	1/4	016-B	1/4	1/4	3/8	016-C	1/4	3/8	1/4	016-D	3/8	3/8	3/8	016-E	3/8	1/4	3/8	016-F	3/8	1/4	1/4
Part-No.	Tube O.D	Tube O.D	Thread																										
016-A	1/4	1/4	1/4																										
016-B	1/4	1/4	3/8																										
016-C	1/4	3/8	1/4																										
016-D	3/8	3/8	3/8																										
016-E	3/8	1/4	3/8																										
016-F	3/8	1/4	1/4																										
Two way splitter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th><th>Tube O.D</th></tr><tr><td>017-A</td><td>1/4</td><td>1/4</td><td>1/4</td></tr><tr><td>017-B</td><td>3/8</td><td>3/8</td><td>3/8</td></tr><tr><td>017-C</td><td>3/8</td><td>1/4</td><td>1/4</td></tr><tr><td>017-D</td><td>1/4</td><td>3/8</td><td>3/8</td></tr><tr><td></td><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Tube O.D	Tube O.D	017-A	1/4	1/4	1/4	017-B	3/8	3/8	3/8	017-C	3/8	1/4	1/4	017-D	1/4	3/8	3/8								
Part-No.	Tube O.D	Tube O.D	Tube O.D																										
017-A	1/4	1/4	1/4																										
017-B	3/8	3/8	3/8																										
017-C	3/8	1/4	1/4																										
017-D	1/4	3/8	3/8																										
Eibow female adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>018-A</td><td>1/4</td><td>1/8</td></tr><tr><td>018-B</td><td>1/4</td><td>1/4</td></tr><tr><td>018-C</td><td>1/4</td><td>3/8</td></tr><tr><td>018-D</td><td>1/4</td><td>1/2</td></tr><tr><td>018-E</td><td>3/8</td><td>1/4</td></tr><tr><td>018-F</td><td>3/8</td><td>3/8</td></tr><tr><td>018-G</td><td>3/8</td><td>1/2</td></tr><tr><td>018-H</td><td>1/2</td><td>1/2</td></tr></table>	Part-No.	Tube O.D	Thread	018-A	1/4	1/8	018-B	1/4	1/4	018-C	1/4	3/8	018-D	1/4	1/2	018-E	3/8	1/4	018-F	3/8	3/8	018-G	3/8	1/2	018-H	1/2	1/2	
Part-No.	Tube O.D	Thread																											
018-A	1/4	1/8																											
018-B	1/4	1/4																											
018-C	1/4	3/8																											
018-D	1/4	1/2																											
018-E	3/8	1/4																											
018-F	3/8	3/8																											
018-G	3/8	1/2																											
018-H	1/2	1/2																											
Straight female adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>019-A</td><td>1/4</td><td>1/4</td></tr><tr><td>019-B</td><td>3/8</td><td>1/4</td></tr><tr><td>019-C</td><td>3/8</td><td>3/8</td></tr><tr><td>019-D</td><td>1/4</td><td>7/16-24</td></tr><tr><td>019-E</td><td>1/4</td><td>1/8</td></tr></table>	Part-No.	Tube O.D	Thread	019-A	1/4	1/4	019-B	3/8	1/4	019-C	3/8	3/8	019-D	1/4	7/16-24	019-E	1/4	1/8										
Part-No.	Tube O.D	Thread																											
019-A	1/4	1/4																											
019-B	3/8	1/4																											
019-C	3/8	3/8																											
019-D	1/4	7/16-24																											
019-E	1/4	1/8																											

Check valves adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>020-A</td><td>1/4</td><td>1/4</td></tr><tr><td>020-B</td><td>1/4</td><td>1/8</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	020-A	1/4	1/4	020-B	1/4	1/8									
Part-No.	Tube O.D	Thread																	
020-A	1/4	1/4																	
020-B	1/4	1/8																	
Male straight adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>021-A</td><td>1/4</td><td>1/2</td></tr><tr><td>021-B</td><td>1/4</td><td>3/8</td></tr><tr><td>021-C</td><td>3/8</td><td>3/8</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	021-A	1/4	1/2	021-B	1/4	3/8	021-C	3/8	3/8						
Part-No.	Tube O.D	Thread																	
021-A	1/4	1/2																	
021-B	1/4	3/8																	
021-C	3/8	3/8																	
Straight female adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>022-A</td><td>1/4</td><td>1/2</td></tr><tr><td>022-B</td><td>3/8</td><td>1/2</td></tr><tr><td>022-C</td><td>1/2</td><td>1/2</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	022-A	1/4	1/2	022-B	3/8	1/2	022-C	1/2	1/2						
Part-No.	Tube O.D	Thread																	
022-A	1/4	1/2																	
022-B	3/8	1/2																	
022-C	1/2	1/2																	
Maie straight adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>023-A</td><td>3/8</td><td>1/2</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	023-A	3/8	1/2												
Part-No.	Tube O.D	Thread																	
023-A	3/8	1/2																	

Straight female adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>024-A</td><td>3/8</td><td>1/2</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	024-A	3/8	1/2												
Part-No.	Tube O.D	Thread																	
024-A	3/8	1/2																	
Hand valve 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Tube O.D</th></tr><tr><td>025-A</td><td>1/4</td><td>1/4</td></tr><tr><td>025-B</td><td>3/8</td><td>3/8</td></tr><tr><td>025-C</td><td>3/8</td><td>1/4</td></tr><tr><td>025-D</td><td>1/2</td><td>1/2</td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Tube O.D	025-A	1/4	1/4	025-B	3/8	3/8	025-C	3/8	1/4	025-D	1/2	1/2			
Part-No.	Tube O.D	Tube O.D																	
025-A	1/4	1/4																	
025-B	3/8	3/8																	
025-C	3/8	1/4																	
025-D	1/2	1/2																	
Stright female adapter 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Thread</th></tr><tr><td>026-A</td><td>3/8</td><td>3/4</td></tr><tr><td>026-B</td><td>1/4</td><td>3/4</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Thread	026-A	3/8	3/4	026-B	1/4	3/4									
Part-No.	Tube O.D	Thread																	
026-A	3/8	3/4																	
026-B	1/4	3/4																	
Stem atta cnment 	<table><tr><th>Part-No.</th><th>Tube O.D</th><th>Stem O.D</th></tr><tr><td>027-A</td><td>1/4</td><td>φ 10mm</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Part-No.	Tube O.D	Stem O.D	027-A	1/4	φ 10mm												
Part-No.	Tube O.D	Stem O.D																	
027-A	1/4	φ 10mm																	


Plug attachment	Part-No.	Tube O.D	Stem O.D
	028-A	1/4	φ 10mm

Bulk head adapter	Part-No.	Tube O.D	Tube O.D	Tube O.D	Tube O.D
	029-A	1/4	1/4	1/4	1/4
	029-B	1/4	1/4	3/8	3/8

Shut-off	Part-No.	Tube O.D	Pressure
	030-A	1/4×4	3Kg±0.2

High pressure	Part-No.	Tube O.D	Tube O.D	Adjustable stanza scope of pressure
	031-A	1/4	1/4	2.0Kg±4.5Kg

Loss pressure	Part-No.	Tube O.D	Tube O.D	Star the pressure
	032-A	1/4	1/4	≥0.3Kg

Check valves adapter	Part-No.	Tube O.D	Tube O.D
	033-A	1/4	1/4

Hand valve	Part-No.	Tube O.D	Thread
	034-A	1/4	1/4
	034-B	3/8	3/8

Restirctor	Part-No.	Tube O.D	Tube O.D
	035-A	1/4	φ 40mm

Flow restrictor	Part-No.	Tube O.D	Tube O.D	Discharge
	036-A	1/4	1/4	300CC
	036-B	1/4	1/4	350CC
	036-C	1/4	1/4	400CC
	036-D	1/4	1/4	420CC
	036-E	1/4	1/4	550CC

Stem/ping in elbow adapter	Part-No.	Tube O.D	Stem O.D
	037-A	3/8	φ 8mm

Stem/ping in elbow adapter	Part-No.	Tube O.D	Thread	Thread
	038-A	1/4	1/2	1/2
	038-B	3/8	1/2	1/2

Stright female adapter	Part-No.	Tube O.D	Tube O.D
	039-A	1/2	3/8

Stright female adapter	Part-No.	Tube O.D	Tube O.D
	040-A	1/2	1/2

Stright female adapter	Part-No.	Tube O.D	Tube O.D
	041-A	1/2	1/2

Stright female adapter	Part-No.	Tube O.D	Tube O.D
	042-A	1/2	3/8

Stright female adapter	Part-No.	Tube O.D	Thread
	043-A	1/2	1/2

Stright female adapter	Part-No.	Tube O.D	Thread
	044-A	1/2	5/16

Stright female adapter	Part-No.	Tube O.D	Thread
	CUT		



Stem/ping in elbow adapter	Part-No.	Thread	PE Tube
	4042	1/8	1/4
	4044	1/4	1/4
	4046	3/8	1/4
	4064	1/4	3/8
	4066	3/8	3/8

Stem/ping in elbow adapter	Part-No.	Thread	PE Tube	PE Tube
	1044	1/4	1/4	

Stem/ping in elbow adapter	Part-No.	Thread	PE Tube	PE Tube
	7544	1/4	1/4	1/4

Stem/ping in elbow adapter	Part-No.	Thread	PE Tube	PE Tube
	702	1/4	1/4	1/4
	706	3/8	3/8	3/8

Stem/ping in elbow adapter	Part-No.	Thread	Thread
	M22	1/4	1/4
	M44	1/2	1/2
	M66	3/4	3/4

Stem/ping in elbow adapter	Part-No.	Thread	PE Tube	PE Tube
	6044	1/4	1/4	1/4
	6066	3/8	3/8	3/8

Stem/ping in elbow adapter	Part-No.	PE Tube
	PIPE CORK	1/4
		3/8





BE-06	BE-06S	BE-07	BE-08	BE-09	BE-10	BE-12
-------	--------	-------	-------	-------	-------	-------




PIPE	CP-01	CP-02	CP-03	CP-04	CP-05
------	-------	-------	-------	-------	-------

(Float Switch)



01	02	03	04	05	06	07
----	----	----	----	----	----	----



Water Electrolyzer	Auto Flush Solenoid Valve	Solenoid Valve	CB-01	CB-02	CB-03
--------------------	---------------------------	----------------	-------	-------	-------



PH	(01/02)	(03)	(04)	TDS Meter (05)	(06)	(07)	(08)	(09)	(10)
----	---------	------	------	----------------	------	------	------	------	------

RO SYSTEM COMPONENT



75G/100G

200G/400G

600G

800G



Transformer (1.2A/1.5A/2A/3A/4A/5A/8A/10A)



US

EU

UK

AU

South African

Brazil



Italy

Japan

KR

C8

C6

C14



5.5*2.1*10mm

6.2 Terminal

Without connector

USB

Cigarette Lighter Socket

5525

SM

VH2P

VH3P



DT-01
1/4" -1/4"



DT-02
3/8" -1/4"



DT-03
1/2" -1/4"



DTC-01
Thread:1/4"



DTC-02
Thread:1/4"



DTC-03
Thread:1/4"



DTC-04
Thread:1/8"



DTC-05
Thread:1/4"



DTC-06
1/4" Single-head



DTC-07
Nut Connect:
3/8" 1/2"



DTC-08
Thread:
1/2" -1/4"



DTC-09
Thread:
1/2" -1/4"



DTC-10
Thread:
3/8" -1/4"



DTC-11
Thread:
3/4" -1/4"



DTC-12
Thread:
1/2" -1/4"
Tube:60mm



DTC-13
in the center
Thread:1"



DTC-14
in the center
Thread:1/4"



DTC-15
in the center
Thread:1/2"



DTC-16
in the center
Thread:3/4"



DTC-17
Nut Connect:
7/16"



DTC-18
Nut Connect:
7/16"



DTC-19
Nut Connect:
3/8"



DTC-20
Nut Connect:
1/2"



DTC-21
Nut Connect:
1/4"



DTC-22
Nut Connect:
3/8" 1/4"



DTC-23
Nut Connect:
3/8" 1/4"



DTC-24
Nut Connect:
3/8" 1/4"



DTC-25
Nut Connect:
3/8" 1/4"



DTC-26
two pass
Thread:
1/4" -1/4"



DTC-27
Thread:
1/4" -1/4"



DTC-28
Thread:
3/8" -1/4"



DTC-29
Thread:1/4"



DTC-30
Rubber connector



DTC-31
Water outlet



DTC-32
Water outlet



DTC-34
Nut Connect



DTC-35
Needle Valve

GOOSE NECK FAUCET



GN-14



GN-19



GN-25



GN-30



GN-31



GN-32



GN-33



GN-34



GN-35



GN-36



GN-37



GN-38



GN-39



GN-40



GN-41



GN-42



GL-00(12L)



GL-01(14L)



GL-02(16L)



GL-03(20L)



GL-05(22L)



GL-06(22L)



GL-07(24L)



GL-09(26L)



GL-08(28L)



GL-10(32L)



WBS-01



WBS-03



WPP-10(13L)

WATER DISPENSER TAP



WDT-01



WDT-02



WDT-03



WDT-06



WDT-07



WDT-08



WDT-09



WDT-10



WDT-13



WDT-14



WDT-15



WDT-19



WDT-20



WDT-21



WDT-22



WDT-26



WDT-27



WDT-28



WDT-30



WDT-31



WDT-32



WDT-33



WDT-34



WDT-37



WDT-39



WDT-41



WDT-56




WDT-57



WDT-59



WDT-60



Domestic UF cartidge

The UF cartridge is made of hollow fibre and the water filtration pore size less than 0.1 micron. It can remove the particles, organics, bacteria etc. It is easy to be installed and operated.





KK-OM1

Ozone Output:400mg Power:15W Dim.(cm):21.5*28*6
NW/GW:0.65KG Airsource: 15-25mg/l



KK-OM2

Ozone Output:500mg Power:18W Dim.(cm):27*16.5*5.5
NW/GW:0.6KG Airsource: 15-25mg/l



KK-OM3

Ozone Output:3g/5g Power:60/80W Purify area:20-50/30-70sqm
Dim.(cm):27*16.5*5.5 NW/GW:0.6KG Airsource: 15-25mg/l
Packing:32*25*51



KK-OM4

Ozone Output:3g/5g Power:60/80W Purify area:20-50/30-70sqm
Dim.(cm):27*16.5*5.5 NW/GW:0.6KG Airsource: 15-25mg/l
Oxygensource: 60-120mg/l Packing:32*25*51



KK-Code	Ozone Output(g)	Power	Purify area(sqm)	Dim.(cm)	Packing	NW/GW
KK-OM5	15	250W	50-100	40*30*62	49*37*67.5 Carton	14. 2/16. 4KG
	20	280W	150-250			15/17. 1KG
	30	350W	200-300	40*30*72	40.5*51*77	16. 4/25KG
	40	400W	250-350	50*40*88	50*60*95	39/44KG
	50	600W	300-400	50*40*91	50.9*61*99	39/44. 3KG
	60	650W	350-450			
	80	950W	400-500	50*40*123	60.5*51*132	42. 9/60KG
	100	1040W				
	150	1700W	500-700	60*50*138	75*60*150	—
	200	2300W				

Airsource: 15-25mg/l Oxygensource: 60-120mg/l



KK-UV-4W-B



KK-UV-6W



KK-UV-12W



UV Light



KK-UV-16W-A



KK-UV-55W



KK-UV-25W



KK-UV-30W



KK-UV-110W




KK-UV-110W-1


Specification of Ultraviolet Water Sterilizer Assembly

Tye		UV4W	UV6W	UV12W	UV16W	UV25W	UV30W	UV55W
Pure water		0.056t/h 0.25GPM	0.11t/h 0.5GPM	0.22t/h 1GPM	0.45t/h 2GPM	1.36t/h 6GPM	1.8t/h 8GPM	2.88t/h 12GPM
Tap water		0.044t/h 0.25GPM	0.08t/h 0.4GPM	0.017t/h 0.8GPM	0.36t/h 1.6GPM	1.0t/h 4.8GPM	1.45t/h 6.4GPM	2.5t/h 9.6GPM
Lamp rated life(hrs)		8000	8000	8000	8000	8000	8000	8000
UV dosage (uW-sec/cm ²)		>30000	>30000	>30000	>30000	>30000	>30000	>30000
Electricity unit	Volts	110-130 200-240	110-130 200-240	110-130 200-240	110-130 200-240	110-130 200-240	110-130 200-240	110-130 200-240
	Hz	50/60	50/60	50/60	50/60	50/60	50/60	50/60
Lamp failure	Wats	4W	4W	4W	4W	4W	4W	4W
	LED	LED	LED	LED	LED	LED	LED	LED
Overall dimension(mm)		φ 51X200	φ 51X260	φ 51X320	φ 63X350	φ 63X520	φ 63X970	φ 63X970
Shell material(stainless)		304#	304#	304#	304#	304#	304#	304#
Inlet/outlet size(inch)		1/4"	1/4"	1/4"	1/4"	1/2"	3/4"	3/4"


SS-UF WATER PURIFIER



Easy change
membrane



Model	LK1508-UFG 1000E	LK1508-UFG 2000E	LK1508-UFG 3500E	LK1508-UFG 6000E
Pressure	0.1~0.4MPa			
Raw water	City water			
Flow	1000L/h	2000L/h	3500L/h	6000L/h
Membrane material	PVDF			
Accuracy	0.01 micron			
Housing material	SUS304			
Inlet water	1/2" Male thread	3/4" Male thread	1" Male thread	1" Male thread
Drain	1/2" Male thread			
N.W.	2.5KG	3.6KG	4.7KG	7.6KG
G.W.	2.7KG	4.15KG	5.3KG	8.5KG
PCS/CTN	6	4	4	4
N.W./PCS	17.1KG	18.5KG	22.5KG	35.5KG
Prod. DIM	Φ102*350mm	Φ114*555mm	Φ141*490mm	Φ141*890mm
Pack. DIM	400*190*200mm	610*210*220mm	545*230*250mm	945*230*250mm
CTN. DIM	590*420*430mm	630*465*490mm	570*485*530mm	970*485*530mm



Model	C2018-UFG4000	C2018-UFG6000	C2018-UFG10000	C2018-UFG15000
Pipe Dim	159mm			
Water pressure display	With pressure gauge			
Pressure	0.1~0.4MPa			
Raw water	City water			
Flow	4000L/h	6000L/h	10000L/h	15000L/h
Membrane material	PVC/PVDF			
Accuracy	0.01 micron			
Housing material	SUS304			
Inlet water	1" Inter thread			
Drain	1/2" Male thread			
N.W.	4.6KG	6.2KG	8.8KG	11.5KG
G.W.	5.6KG	7.5KG	9.5KG	13KG
PCS/CTN	1	1	1	1
Prod. DIM	Φ102*350mm	Φ114*555mm	Φ141*490mm	Φ141*890mm
Pack. DIM	400*190*200mm	610*210*220mm	545*230*250mm	945*230*250mm


SS-UF WATER PURIFIER



Model	LK2106-UFG800	LK2106-UFG1000	LK2106-UFG2000	LK2106-UFG3000	LK2106-UFG6500	LK2106-UFG8000	LK2106-UFG10000
Pipe Dim	159mm						
Housing material	SUS304						
Inlet water	1/2" Male thread	1/2" Male thread	1/2" Male thread	1" Inter thread	1" Inter thread	1" Inter thread	1" Inter thread
Drain	1/2" Male thread	1/2" Male thread	1/2" Male thread	1/2" Male thread	1/2" Male thread	1/2" Male thread	1/2" Male thread
Prod. DIM	338*156*142mm	338*156*142mm	530*156*142mm	398*218*208mm	598*218*208mm	898*218*208mm	1168*218*208mm
PCS/CTN	10	6	6	4	2	2	1

4寸卡箍式膜壳

• TC-Clamp RO Membrane housing



产品规格:

名称	L(mm)	L1(mm)	B(mm)	A	A1
4021	602	550	Ø102	1/2"	1/2"
4040-1	1077	1025	Ø102	3/4"	1/2"
4040-2	2099	2047	Ø102	3/4"	1/2"
4040-3	3115	3063	Ø102	3/4"	1/2"
4040-4	4131	4079	Ø102	3/4"	1/2"
4040-5	5147	5095	Ø102	3/4"	1/2"
404	6163	6111	Ø102	3/4"	1/2"

8寸卡箍式膜壳

• TC-Clamp RO Membrane housing




Datasheet

Item	L	L1	D	A	B
8040-1	1288	1101	Ø203	DN40	1"
8040-2	2304	2177	Ø203	DN40	1"
8040-3	3320	3133	Ø203	DN40	1"
8040-4	4336	4149	Ø203	DN40	1"
8040-5	5352	5165	Ø203	DN40	1"
8040-6	6368	6181	Ø203	DN40	1"

抱箍式精密过滤

• TC-Clamp Cartridge Filter Housing




Datasheet

Item Parameter	A	B	C	D	E	F	I	J
3 Cores 20"	Ø165	50	190	670	135	1/2"	1"	1"
5 Cores 20"	Ø200	50	190	670	161	1/2"	1.5"	1.5"
5 Cores 30"	Ø200	50	190	915	161	1/2"	1.5"	1.5"
5 Cores 40"	Ø200	50	190	1200	161	1/2"	1.5"	1.5"
7 Cores 20"	Ø230	80	350	745	182	1/2"	1.5"	1.5"
7 Cores 30"	Ø230	80	350	990	182	1/2"	1.5"	1.5"
7 Cores 40"	Ø230	80	350	1275	182	1/2"	1.5"	1.5"
10 Cores 20"	Ø303	90	350	790	234	1/2"	2"	2"
10 Cores 30"	Ø303	90	350	1040	234	1/2"	2"	2"
10 Cores 40"	Ø303	90	350	1300	234	1/2"	2"	2"

普通法兰式精密过滤器

• Basic Flange Cartridge Filter Housing




Datasheet

Item Parameter	Cores QTY	A	B	C	D	E	F	I	J
10 Cores 40"	10	Ø300	350	150	360	1350	2"	2"	1/2"
15 Cores 40"	15	Ø350	350	150	410	1400	2"	2"	1/2"
19 Cores 40"	19	Ø400	350	150	460	1440	DN50	DN50	1/2"
25 Cores 40"	25	Ø450	350	150	510	1445	DN65	DN65	1/2"
30 Cores 40"	30	Ø500	450	150	560	1447	DN80	DN80	1/2"
36 Cores 40"	36	Ø550	450	150	610	1490	DN80	DN80	1/2"
40 Cores 40"	40	Ø600	450	150	660	1570	DN100	DN100	1/2"
50 Cores 40"	50	Ø650	450	150	710	1580	DN100	DN100	1/2"
60 Cores 40"	60	Ø700	450	150	760	1590	DN100	DN100	1/2"
75 Cores 40"	75	Ø750	450	150	810	1610	DN100	DN100	1/2"
80 Cores 40"	80	Ø800	450	150	860	1630	DN100	DN100	1/2"
90 Cores 40"	90	Ø850	450	200	910	1700	DN100	DN100	1/2"
100 Cores 40"	100	Ø1000	450	200	1060	1700	DN100	DN100	1/2"

快装法兰式精密过滤器

• Quick Open Flange Cartridge Filter Housing



Datasheet

Item Parameter	Cores OTY	A	B	C	D	E	F	I	J
10 Cores 40" quick assy	10	Ø300	350	150	360	1350	2"	2"	1/2"
15 Cores 40" quick assy	15	Ø350	350	150	410	1400	2"	2"	1/2"
19 Cores 40" quick assy	19	Ø400	350	150	460	1440	DN50	DN50	1/2"
25 Cores 40" quick assy	25	Ø450	350	150	510	1445	DN65	DN65	1/2"
30 Cores 40" quick assy	30	Ø500	450	150	560	1447	DN80	DN80	1/2"
36 Cores 40" quick assy	36	Ø550	450	150	610	1490	DN80	DN80	1/2"
40 Cores 40" quick assy	40	Ø600	450	150	660	1570	DN100	DN100	1/2"
50 Cores 40" quick assy	50	Ø650	450	150	710	1580	DN100	DN100	1/2"
60 Cores 40" quick assy	60	Ø700	450	150	760	1590	DN100	DN100	1/2"
75 Cores 40" quick assy	75	Ø750	450	150	810	1610	DN100	DN100	1/2"
80 Cores 40" quick assy	80	Ø800	450	150	860	1630	DN100	DN100	1/2"
90 Cores 40" quick assy	90	Ø850	450	200	910	1700	DN100	DN100	1/2"
100 Cores 40" quick assy	100	Ø1000	450	200	1060	1700	DN100	DN100	1/2"



KK-Y500



KK-Y1000



KK-Y1500



KK-Y3000



KK-D1-1(10' JUMBO)



KK-D2-2(20' JUMBO)



KK-E1(20' SLIM)

U-PVC CARTRIDGE HOUSING



A



B

A系列顶盖用扳手
Spanner for the lid of A series



型号 Type	材质 Material	尺寸 Size	滤芯数量 Cartridges pcs	滤芯尺寸 Cartridges size	进出水口 In/Out(mm)	最大工作压力 Max pressure
HPCF-5DC1/HPCF-3DC1	UPVC	φ 225-H465	5/3	10"	DN40/ANSI 1.5"	A=0.4MPA
HPCF-5DC2/HPCF-3DC2		φ 225-H715	5/3	20"	(W=365)	
HPCF-5DC3/HPCF-3DC3		φ 225-H965	5/3	30"	DN50/ANSI 2"	B=0.6MPA
HPCF-5DC4/HPCF-3DC4		φ 225-H1215	5/3	40"	(W=473)	



A



B

A系列顶盖用扳手
Spanner for the lid of A series



型号 Type	尺寸 Size	滤袋尺寸 Bag size	进出水口 In/Out	进水口高度 L	最大工作压力 Max pressure
HXP-BF-1-1-A	φ 225-H805	φ 7" (178mm)-H17" (419mm)	法兰FLG: DN50/ANSI2"	650	A=0.4MPA
HXP-BF-1-2-A	φ 225-H1190	φ 7" (178mm)-H32" (813mm)		1035	
HXP-BF-1-1-B	φ 225-H820	φ 7" (178mm)-H17" (419mm)		665	B=0.7MPA
HXP-BF-1-2-B	φ 225-H1200	φ 7" (178mm)-H32" (813mm)		1045	



MODEL NO.:
KQ-1500GS37

- 1. 1500GPD
 - 2. AUTOMATIC CONTROL
 - 3. MEMBRANE HOUSING
FRP4040/SS4040
 - 4. FRAME - SS BRACKET
- Dim: 370*370*1320mm
Packing 2sets/tray: 390*790*1430mm


MODEL NO.:
KQ-1500GMA/3000GMA

- 1. 1500G/3000GPD
 - 2. CONTROL DOOR WITH ROC & TDS
 - 3. MEMBRANE HOUSING FRP4040/SS4040
 - 4. FRAME - SS BRACKET
- DIM: 600*500*1470MM
PACKING 2SETS/TRAY: 640*1050*1520MM



MODEL NO.:
KQ-4500GMA/6000GMA

- 1. 4500G/6000GPD
 - 2. CONTROL DOOR WITH ROC & TDS
 - 3. MEMBRANE HOUSING FRP4040/SS4040
 - 4. FRAME - SS BRACKET
- Dim: 900*500*1470mm
Packing 2sets/tray: 940*1050*1520mm



MODEL NO.:

KQ-1T8040SC

- 1. 1T PER HOUR
- 2. SIMPLE AUTO-PROGRAM
WITH EXTRAL-SOCKET
- 3. FRP 8040 MEMBRANE HOUSING
- 4. FRAME - SS BRACKET
- DIM:1500*650*1080MM
- PACKING 1SET/TRAY:1520*670*1200MM



MODEL NO.:

KQ-1T8040MA/AF

- 1. 1T PER HOUR
- 2. PREVIOUS FILTER WITH FEED PUMP
- 3. MANUAL/AUTO PROGRAM
- 4. FRP 8040 MEMBRANE HOUSING
- 5. FRAME - SS BRACKET
- 6. PREVIOUS FILTER VESSEL - FRP1252 * 2
- DIM:1500*650*1620MM
- PACKING 1SET/TRAY:1520*670*1650MM

Solenoid Valve (Brass/SS)



KK-2W-10-25N-A



KK-2W-10-25N-C



KK-2W-10-25N-D



KK-2W-10-25NK-A



KK-2W-32-50BNK



KK-2W-3"~80N



KK-0927200



KK-0927400



KK-0927700



KK-SLP-20B



KK-SLP-25-A



KK-SLP-25-B

Sealing Material: NBR 80 / EPDM 130 / VITON 120
Voltage: AC220V / DC24V Power: 20W
Max. Pressure: 10 Bar / 16 Bar
Liquid Temp. <80
Body Material: Brass / Ss304

G Thread	Flow Diameter
3/8 "	16 mm
1/2 "	16 mm
3/4 "	20 mm
1 "	25 mm
1 1/4 "	32 mm
1 1/2 "	40 mm
2 "	50 mm

Brass Gate Valve



KK-GV-15



KK-GV-20



KK-GV-25



KK-GV-32



KK-GV-40



KK-GV-50

BOOSTER PUMP




Pump Model



Technical Data

Item	Model	EVP(m) 2	EVP(m) 4	EVP(m) 6	EVP(m) 6H	EVP(m) 10H
Rated Flow(m³/h)		2	4	6	6	10
Flow range(m³/h)		1~3.5	1~6	2~10	2~9	4~14
Max. Pressure(bar)		15				
Motor Power(kW)		0.37~2.2	0.55~3	1.1~3	1.1~4	3~7.5
Working Temp.(°C)		+4°C~+60°C				
Pump Eff.(%)		26	40.5	37	44	44
Elliptical flange		G1	G1	G1¼	Inlet G1¼ Outlet G1¼	Inlet G1¼ Outlet G1¼

Performance Range



Performance Curve



Data sheet

Model	Power(kW)	Q(m³/h)	0	1	2	3	3.5
EVP(m)2-2	0.37	H(m)	24	23	18	13	9.8
EVP(m)2-3	0.55		36	33	26	20	15
EVP(m)2-4	0.75		48	45	35	26	17
EVP(m)2-5	1		59	57	44	33	24
EVP(m)2-6	1		69	65	52	37	26
EVP(m)2-7	1.1		82	75	62	45	34
EVP(m)2-8	1.5		94	87	72	52	40
EVP(m)2-9	1.5		105	98	82	60	48
EVP(m)2-11	1.8		130	119	98	69	53
EVP2-13	2.2		153	142	115	80	63

600G



800G



4021



O.D. : 4"
L : 21"

4040



O.D. : 4"
L : 40"
Max. Inlet Flow : 3.6 m³/H
Max. Residual Chlorine concentration : 0.1mg/L

8040



O.D. : 4"
L : 40"
Max. Inlet Flow : 17 m³/H
Max. Residual Chlorine concentration : 0.1mg/L

Model	use to	raw water salt	Pressure test	Max Operation Pressure
ULP-2521,2540,4021,4040,8040	low pressure	<1500ppm	150PSI(1.0MPa)	600PSI(4.1MPa)
BW-4021,4040,8040	high pressure	2000-8000ppm	150PSI(1.0MPa)	600PSI(4.1MPa)
SW-2521,2540,4040,8040	desalination	1500-4000ppm	800PSI(5.5MPa)	1200PSI(8.3MPa)

FRP MEMBRANE HOUSING



CP4-1

4英寸侧开口膜壳4"
pressure vessel(side port)

压力坂：客户可按要求选择300PSI,450PSI,600PSI,800PSI,1000PSI.
Customer can choose 300psi,450psi,600psi,800psi,1000psi.
As per equipment requirement

长度选择：客户可按要求选择1, 2, 3, 4芯
Customer can choose length as per equipment requirement



CP4-2

4英寸端开口膜壳4"
pressure vessel(end port)

压力坂：客户可按要求选择300PSI,450PSI,600PSI,800PSI,1000PSI.
Customer can choose 300psi,450psi,600psi,800psi,1000psi.
As per equipment requirement

长度选择：客户可按要求选择1, 2, 3, 4芯
Customer can choose length as per equipment requirement



CP8-1

8英寸侧开口膜壳8"
pressure vessel(side port)

压力坂：客户可按要求选择300PSI,450PSI,600PSI,800PSI,1000PSI.
Customer can choose 300psi,450psi,600psi,800psi,1000psi.
As per equipment requirement

长度选择：客户可按要求选择1, 2, 3, 4, 5, 6, 7芯
Customer can choose length as per equipment requirement



CP8-2

8英寸端开口膜壳8"
pressure vessel(end port)

压力坂：客户可按要求选择300PSI,450PSI,600PSI,800PSI,1000PSI.
Customer can choose 300psi,450psi,600psi,800psi,1000psi.
As per equipment requirement

长度选择：客户可按要求选择1, 2, 3, 4, 5, 6, 7芯
Customer can choose length as per equipment requirement




CP8-3

8英寸端开口膜壳8"
pressure vessel(end port)

压力坂：客户可按要求选择300PSI,450PSI,600PSI,800PSI,1000PSI.
Customer can choose 300psi,450psi,600psi,800psi,1000psi.
As per equipment requirement

长度选择：客户可按要求选择1, 2, 3, 4, 5, 6, 7芯
Customer can choose length as per equipment requirement

KK-P503



Electrical Function

Rated Voltage(V) \ Rated Amps(A)		125V A.C.	250V A.C.	24V D.C.
Non-Inductive Current		20A	10A	10A
Inductive Current	Full load Current	15A	8A	8A
	Ins. Current	72A		64A



KK-ROC-2315



KK-pH/ORP-3500
Controller



KK-pH/ORP-5500
Controller



KK-CCT5320E
Conductivity /
Resistivity controller



KK-FCT-8350
Flow Meter



KK-ROC2015



KK-CCT3320



KK-CCT3320V



KK-8XSY1102

FLOW METER&PRESSURE GAUGE



常用规格 (Specifications)	GPM	0.1-1	0.2-2	1-5	1-10	2-16	2-20	4-40	6-60	10-100	50-150	50-200
流量范围 (Flow)	LPM	0.5-4	1-7	2-18	5-35	4-60	10-70	15-150	25-250	50-350	190-550	200-750
精确度 (Accuracy)	± 4%FS											
重复度 □ Repeatability)	± 0.25%FS											
范围度 (Range)	10:1	10:1	5:1(10:1)	10:1	8:1	10:1	10:1	10:1	10:1	10:1	3:1	4:1
最大压力 (Max pressure)	1MPa/150psig											
最高温度 (Temp)	LZT系列 ≤80℃						LZT-S系列 ≤40℃					
基本材质 (Waterial)	Acrylic(有机玻璃)											
浮球材质 (Float material)	SS316不锈钢(≥150GPM 304不锈钢)											
导杆材质 (Guide rod material)	SS316不锈钢(≥150GPM 304不锈钢)											

型号/MODEL	规格/SPEC	测压范围/PRESSURE			接口尺寸/PORT		精度/ACCU
CP 40	Panel	0.16	0.4	0.6	ZG 1/8"	ZG 1/4"	2.5
CP 40Z	Inline	0.7	1	1.6	φ4		
CP 40ZT	Inline	2.5	3	4	φ6		
CP 40ZK	Inline	6	10	-0.1 (Mpa)	M10x1		
CP 50	Panel	0.16	0.4	0.6	ZG 1/8"		2.5
CP 50Z	Inline	0.7	1	1.6	ZG 1/4"		
CP 50ZT	Inline	2.5	3	4	M14x1.5		
CP 50ZK	Inline	6	10	-0.1 (Mpa)	φ4	φ6	
CP 60	Panel	0.16	0.4	0.6	ZG 1/4"		2.5
CP 60Z	Inline	0.7	1	1.6	M14x1.5		
CP 60ZT	Inline	2.5	3	4	φ4		
CP 60ZK	Inline	6	10	-0.1 (Mpa)	φ6		
CP 100	Panel	0.16	0.4	0.6	ZG 1/2"		1.6
CP 100Z	Inline	0.7	1	1.6	M20x1.5		
CP 100ZT	Inline	2.5	3	4			
		6	10	-0.1 (Mpa)			

• Description: Multi-port Valve (Manual Filter Valve)



KK-F52



KK-F56A



KK-N56D



KK-F56L

• Description: Multi-function Flow Control Valve (Manual Softener Valve)



KK-F64A



KK-N64F



KK-F64B/F64C



KK-N64D

• Description: Multi-functional Flow Control Valve (Automatic Softener Valve)



KK-N74A3



KK-F68A3



KK-F65B3



KK-F63B3

• Description: Multi-functional Flow Control Valve (Automatic Filter Valve) and Distributors



KK-F67B1



KK-N75A1



KK-F71G1



KK-F134A
with 485 Connector

FRP PRESSURE VESSELS



- The FRP pressure vessels are made up of high performance composite material and filament winding .It is of 100% corrosion resistant and uses the various thermoplastic liners of olyester , high strength polypropene etc.The pressure vessel is more strength than the stainless steel vessel , while the weight is only 1/3 of the stainless steel vessel of same size.
- Operating pressure :150psi
- Operating temperature:150F
- Cycle test:250,000 times from 10psi to 150psi
- Qualification burst test:500psi

NO.	Size		A Dianeter		B Height Without Base		C Height With Base		Top Open	Bottom Open	Capacity		Operating pressure		Filtration velocity
	(In)	(mm)	(In)	(mm)	(In)	(mm)	(In)	(mm)			Gallons	Liters	MPa	BAR	m³/h
1	07x24	170x610	7.0	181	24.0	610	25.4	645	2.5" NPSM	/	3.8	15	/	/	0.2~0.3
2	07x24	170x610	7.0	181	35.0	890	36.4	925	2.5" NPSM	/	5.2	19.7	/	/	0.2~0.4
3	08x17	200x430	8.0	206	17.0	430	18.1	460	2.5" NPSM	/	3.1	11.7	/	/	0.2~0.5
4	08x20	200x470	8.0	206	19.0	470	19.5	495	2.5" NPSM	/	3.5	13.4	/	/	0.1~0.3
5	08x35	200x890	8.0	206	35.0	890	36.2	920	2.5" NPSM	/	6.6	25.0	/	/	0.1~0.3
6	08x44	200x1115	8.0	206	43.9	1115	44.9	1140	2.5" NPSM	/	8.7	32.9	/	/	0.2~0.5
7	09x35	220x890	9.0	232	35.0	890	35.8	910	2.5" NPSM	/	8.3	31.4	/	/	0.2~0.5
8	09x40	220x1005	9.0	232	40.0	1005	40.4	1025	2.5" NPSM	/	9.5	36.0	/	/	0.2~0.5
9	09x42	220x1074	9.0	232	42.28	1074	43.03	1093	2.5" NPSM	/	10.09	38.2	/	/	0.2~0.5
10	09x48	220x1215	9.0	232	48.0	1215	48.4	1230	2.5" NPSM	/	12.7	48.0	/	/	0.3~0.6
11	10x17	240x430	10.0	257	17.0	430	18.1	460	2.5" NPSM	/	4.8	18.2	/	/	0.2~0.4
12	10x35	240x890	10.0	257	35.0	890	36.0	915	2.5" NPSM	/	10.2	38.6	/	/	0.5~1.0
13	10x44	240x1115	10.0	257	43.9	1115	45.1	1145	2.5" NPSM	/	13.1	49.6	/	/	0.5~1.4
14	10x54	240x1370	10.0	257	54.1	1375	55.3	1405	2.5" NPSM	/	16.4	62.0	/	/	0.6~1.5
15	12x48	300x1215	12.0	308	48.0	1215	48.4	1225	2.5" NPSM	/	20.6	78.0	/	/	1.6~2.0
16	12x52	300x1320	12.0	308	52.0	1320	53.3	1355	2.5" NPSM	/	22.2	84.0	/	/	1.6~2.2
17	12x52	300x1320	12.0	308	52.0	1320	52.2	1325	4.5" BUTTRESS	/	22.2	84.0	/	/	1.6~2.2
18	12x65	300x1320	12.0	308	52.0	1320	65.9	1675	2.5" NPSM	/	22.6	112.0	/	/	1.8~2.4
19	13x54	330x1370	13.0	334	54.0	1370	55.3	1405	2.5" NPSM	/	27.5	104.0	/	/	2.0~2.5
20	14x65	350x1620	14.0	360	63.8	1620	65.6	1665	2.5" NPSM	/	40.6	154.0	/	/	2.5~3.0
21	14x65	350x1620	14.0	360	63.8	1620	65.6	1665	4" UN	/	40.6	154.0	/	/	2.5~3.0
22	14x65	400x1620	16.0	410	63.8	1620	64.6	1640	2.5" NPSM	/	49.0	185.0	/	/	3.2~4.5
23	14x65	400x1620	16.0	410	63.8	1620	64.6	1640	4" UN	/	49.0	185.0	/	/	3.2~4.5
24	18x65	450x1620	18.0	460	63.8	1620	72.8	1850	4" UN	/	66.7	251.8	/	/	3.5~4.8
25	18x65	450x1650	18.5	470	65.6	1665	72.8 74.9	1850 1902	4" UN	none 6" FLG	66.8	253.0	1.0	10	3.5~4.8
26	16x72	400x1800	16.0	410	70.9	1800	72.8	1850	2.5" NPSM	none	53.6	203.0	1.0	10	3.5~4.6
27	18x72	400x1800	16.0	410	70.9	1800	72.8	1850	4" UN	none	53.6	203.0	1.0	10	3.3~4.6
28	20x72	500x1800	20.5	520	70.9	1800	78.0 79.9	1980 2030	4" UN	none 6" FLG	89.0	337.0	1.0	10	4.1~5.6
29	21x62	530x1600	21.7	550	63.0	1600	71.1 72.5	105 1842	4" UN	none 6" FLG	88.0	333.0	1.0	10	4.0~5.5
30	24x72	600x1800	24.4	620	70.9	1800	79.9	2030	4" UN	6" FLG	126.8	480.0	1.0	10	6.2~8.2
31	30x72	750x1800	30.5	775	70.9	1800	79.5	2020	4" UN	6" FLG	195.5	740.0	1.0	10	7.2~12.2
32	36x72	900x1800	36.4	925	70.9	1800	82.3	2090	4" UN	6" FLG	283.0	1071	1.0	10	13.2~16.2

WATER DISTRIBUTOR SERIES



BJ-2



BJ-1



DT-1



DT-2/DT-3



DT-2-N



DT-4



KK-209



KK-210



KK-215



KK-216



KK-216-1



KK216-L



KK-217



KK-201



KK-202



KK-224



KK-224-N



KK-227



KK-311



KK-311N



KK-8



KK-11



KK-12



KK-228



KK-229



KK-314

High flow top mount 6 laterals, 12 laterals



KK-326




KK-324


2.5"黑二通(2.5" Tank head)




XN-1-3/4(JD-C101)




XN-1-3/4(JD101)




XN-6-3/4(JD-C104)




XN-6-3/4(JD104)




XN-6-1/2(JD-C109)




XN-6-1/2(JD109)




XN-1-1(JD102)




XN-2-0(JD103)



XN-7-3/4(JD110)



XN-8-1/2(JD111)



Brine Tank



Brine Tank



Brine valve



Dosing Tank



RO PRESSURE TANK



				
ROSK-2.0G	ROSK-2.5G	ROSK-3.2G	ROSK-3.5G	ROSK-4.0G
				
ROSK-4.5G	ROSK-6.0G	ROSK-11G	ROSK-15G	ROSK-20G



余姚市科普特水处理设备厂

YUYAO COPRITE WATER TREATMENT FACTORY

余姚市科科国际贸易有限公司

YUYAO KOKO INTERNATIONAL TRADING CO.,LTD

ADD:NO.42ChangXinRoad,Yuyao City Zhejiang Province.China.

TEL: 0086 – 574 – 62714188 62726717

FAX: 0086 – 574 – 62724188

[http: // www.kokoelectric.com](http://www.kokoelectric.com)

E-mail: koko@kokoelectric.com

